




TAG	X LOC	Y LOC	SIZE
A1	60	25	Ø 10 THRU
A2	70	10	Ø 10 THRU
A3	89	10	Ø 10 THRU
A4	89	140	Ø 10 THRU
A5	100	20	Ø 10 THRU
A6	140	20	Ø 10 THRU
A7	180	10	Ø 10 THRU
A8	180	25	Ø 10 THRU
A9	180	140	Ø 10 THRU
B1	65	140	
C1	80	25	Ø 7 THRU
C2	80	135	Ø 7 THRU
C3	90	35	Ø 7 THRU
C4	90	110	Ø 7 THRU
C5	90	135	Ø 7 THRU
C6	145	35	Ø 7 THRU
C7	145	110	Ø 7 THRU
C8	160	25	Ø 7 THRU
C9	160	35	Ø 7 THRU
C10	160	110	Ø 7 THRU
C11	160	120	Ø 7 THRU
C12	160	135	Ø 7 THRU
D1	100	42.50	7 X 22
D2	135	42.50	7 X 22
D3	135	107.50	7 X 22
E1	100	110	
F1	120	125	10 X 22

REVISIONS					
REV	DESCRIPTION	DRN	CHK	APPD	DATE
REV 05					



NOTES - UNLESS OTHERWISE SPECIFIED:

1. FINISH: POWDER COATED - FRAME - 7035, ALL COVERS - 7016 (TEXTURE)
2. DIMENSIONS ARE TO BE INTERPRETED AS PER ASME Y14.5M - 1994.
3. ALL DIMENSIONS APPLY AFTER FINISHING.
4. PART TO BE CLEAN AND FREE OF ALL SHARP EDGES BURRS, CHIPS, SHAVINGS AND OILS BOTH INTERNALLY AND EXTERNALLY.
5. ALL BEND RADIUS AND RELIEFS TO BE MINIMUM.
6. ALL DIMENSIONS ARE IN MM.
7. UNLESS OTHERWISE SPECIFIED DIMENSIONS REFER DXF DRAWING.

SUPERSEDES:		NAME	DATE/SIGN
MATERIAL: CRCA		DRAWN	SUDHAGAR 08.10.2024
WEIGHT: 580.73G	THK: 2.5MM	CHK'D	
FINISH: SEE NOTES		APPV'D	BALRAM
TOLERANCES UNLESS OTHERWISE SPECIFIED		STATUS: REV 05	
LINEAR DIMENSION			
0.5-3	3-6	6-30	30-120
±0.5	±0.5	±1	±2
120-400		400-1000	
±3		±4	
1000-2000		2000-4000	
±5		±10	
ANGULAR DIMENSION			
0-10	10-50	50-120	120-400
±1°	±0.30°	±0.30°	±0.10°
EXTERNAL RADII & CH		OVER 400	
0.5 - 3		3 - 6	
±0.2		±0.5	
OVER 6		±1	
THIRD ANGLE PROJECTION:			



DOC TYPE: MECHANICAL DRAWING	
PRODUCT: 22.5-30 KVA SCVS DM DG	
TITLE: CONTACTOR PLATE	
DWG NO: RCAB00976R5-01-00_10	SIZE: A3
1:2	12 OF 24