





REVISIONS					
REV	DESCRIPTION	DRN	CHK	APPD	DATE
REV 01	SIZE/SLOT	AJ			19.12.2018



## NOTES - UNLESS OTHERWISE SPECIFIED:

1. FINISH: POWDER COATED - FRAME - 7035, ALL COVERS - 7016 (TEXTURE)
2. DIMENSIONS ARE TO BE INTERPRETED AS PER ASME Y14.5M - 1994.
3. ALL DIMENSIONS APPLY AFTER FINISHING.
4. PART TO BE CLEAN AND FREE OF ALL SHARP EDGES BURRS, CHIPS, SHAVINGS AND OILS BOTH INTERNALLY AND EXTERNALLY.
5. ALL BEND RADIUS AND RELIEFS TO BE MINIMUM.
6. ALL DIMENSIONS ARE IN MM.
7. UNLESS OTHERWISE SPECIFIED DIMENSIONS REFER DXF DRAWING.

SUPERSEDES:

MATERIAL: CRCA DRAWN SUDHAGAR 08.10.2024

WEIGHT: 298.35G THK: 1.6MM CHK'D

FINISH: SEE NOTES APPV'D BALRAM

TOLERANCES UNLESS OTHERWISE SPECIFIED

LINEAR DIMENSION

0.5-3 3-6 6-30 30-120 120-400 400-1000 1000-2000 2000-4000

±0.5 ±0.5 ±1 ±2 ±3 ±4 ±5 ±10

ANGLER DIMENSION EXTERNAL RADII &amp; CH

0-10 10-50 50-120 120-400 OVER 400 0.5 - 3 3 - 6 OVER 6

±1° ±0.30° ±0.30° ±0.10° ±0.5° ±0.2 ±0.5 ±1


**Fuji Electric**

DOC TYPE: MECHANICAL DRAWING

PRODUCT: 12-15KVA SCVS DM DG

TITLE: VARIAC TOP CHANNEL

DWG NO: RCAB00958R1-01-00\_09 SIZE

A3

1:2 13 OF 28

TOLERANCES UNLESS OTHERWISE SPECIFIED								STATUS:	REV 01
LINEAR DIMENSION									
0.5-3	3-6	6-30	30-120	120-400	400-1000	1000-2000	2000-4000		
±0.5	±0.5	±1	±2	±3	±4	±5	±10		
ANGLER DIMENSION								EXTERNAL RADII & CH	
0-10	10-50	50-120	120-400	OVER 400	0.5 - 3	3 - 6	OVER 6		
±1°	±0.30°	±0.30°	±0.10°	±0.5°	±0.2	±0.5	±1		

